

Express Mail Certificate No: EV000524201US

Date Mailed: 17 January 2002

Attorney Docket No.: C70334

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Parker, D.

Divisional of Serial No.: 09/485,893

Predecessor Art Unit No.: 1614

Filed: Herewith

Predecessor Examiner: Kwan

For: Solid Composition For Reducing Tooth Erosion

Assistant Commissioner of Patents

Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Preliminary to calculating filing fees and examining this application, please enter the following remarks and amendments into the record:

In The Claims:

Please cancel claims 14 to 21, and 23 to 25.

Please amend the following claims:

1 (amended). A composition for oral use comprising a calcium compound and an acidulant wherein calcium is present in the range of 0.3 to 0.65 mol per mol of acid and the proportion of calcium and acidulant in the composition is selected so that the effective pH of the solid or semi-solid composition is from 3.5 to 4.5.

4 (amended). A composition as claimed in claim 1 in which the calcium is present in an amount of at least 0.4 mol per mol of acid .

5 (amended). A composition as claimed in claim 1 in which the effective pH of the composition is not more than 4.

6 (amended). A composition as claimed in claim 5 in which the effective pH is from 3.7 to 3.9.

7 (amended). A composition as claimed in claim 1 in which the acid is citric acid, malic acid or lactic acid or mixtures thereof.

8 (amended). A composition as claimed in claim 1 in which the calcium compound is calcium carbonate, calcium hydroxide, calcium citrate, calcium malate, calcium lactate, calcium chloride, calcium glycerophosphate or calcium formate.

9 (amended). A composition as claimed claim 1 which is a sweet.

11 (amended). A composition as claimed in claim 1 which is a dry powder blend.

13 (amended). A composition as claimed in claim 1 which is an oral healthcare composition.

22 (amended). A process for preparing a solid or semi-solid composition containing a calcium compound and an acidulant wherein the calcium is present in the range 0.3 to 0.8 mol per mol of acid and the effective pH of the composition is from 3.5 to 4.5, comprising mixing the calcium compound with the acidulant so that calcium is present in the range of 0.3 to 0.80 mol per mol of acid, and adjusting the pH, if necessary or desired, by addition of alkali so that the effective pH of the composition is in the range 3.5 to 4.5.

Please add the following claims:

26. A composition as claimed in claim 1 in which the calcium is present in the range 0.3 – 0.60 mol per mol of acid.

27. A composition as claimed in claim 1 in which the calcium is present in the range 0.3 – 0.55 mol per mol of acid.

REMARKS

Claims 14 to 21, and 23 to 25 have been cancelled. Claims 1 to 13, 22, 26 and 27 are in the application. Claim 26 and 27 have been added. Various claims have been amended to remove multiple dependencies. No new matter is believed added. A "Marked Version of the Changes Made" accompanies this letter in the attached appendix. An Abstract also accompanies this amendment.

- 3 -

The Examiner attention is also drawn to copending US application 09/978,993, Parker, D., which is a divisional of USSN 09/125,471, now US Patent 6,319,490. This application corresponds to PCT/EP97/00646 (WO 97/30601), Reference BN on the enclosed 1449 form.

Should the Examiner have any questions or wish to discuss any aspect of this case, the Examiner is encouraged to call the undersigned at the number below. It is not believed that this paper should cause any additional fees or charges to be required, other than expressly provided for already. However, if this is not the case the Commissioner is hereby authorized to charge Deposit account 19-2570 accordingly.

Respectfully submitted,



Dara L. Dinner
Attorney for Applicant
Registration No. 33,680

SMITHKLINE BEECHAM CORPORATION
Corporate Intellectual Property UW2220
P.O. Box 1539
King of Prussia, PA 19406-0939
Phone (610) 270-5017
Facsimile (610) 270-5090

VERSION TO SHOW CHANGES MADE

Claims 14 to 21, and 23 to 25 have been cancelled.

The following claims have been amended:

1 (amended). A [solid or semi-solid] composition for oral use [containing] comprising a calcium compound and an acidulant wherein calcium is present in the range of 0.3 to 0.65 mol per mol of acid and the proportion of calcium and acidulant in the composition is selected so that the effective pH of the solid or semi-solid composition is from 3.5 to 4.5.

4 (amended). A composition as claimed in [any one of claims 1 to 3] claim 1 in which the calcium is present in an amount of at least 0.4 mol per mol of acid.

5 (amended). A composition as claimed in [any one of claims 1 to 4] claim 1 in which the effective pH of the composition is not more than 4.

6 (amended). A composition as claimed in [any one of claims 1 to 6] claim 5 in which the effective pH is from 3.7 to 3.9.

7 (amended). A composition as claimed in [any one of claims 1 to 7] claim 1 in which the acid is citric acid, malic acid or lactic acid or mixtures thereof.

8 (amended). A composition as claimed in [any one of claims 1 to 7] claim 1 in which the calcium compound is calcium carbonate, calcium hydroxide, calcium citrate, calcium malate, calcium lactate, calcium chloride, calcium glycerophosphate or calcium formate.

9 (amended). A composition as claimed [any one of claims 1 to 8] claim 1 which is a sweet.

11 (amended). A composition as claimed in [any one of claims 1 to 9] claim 1 which is a dry powder blend.

13 (amended). A composition as claimed in [any one of claims 1 to 12] claim 1 which is an oral healthcare composition.

22 (amended). A process for preparing a solid or semi-solid composition containing a calcium compound and an acidulant [characterised in that] wherein the calcium is present in the range 0.3 to 0.8 mol per mol of acid and the effective pH of the composition is from 3.5 to 4.5, comprising mixing the calcium compound with the acidulant so that calcium is present in the range of 0.3 to 0.80 mol per mol of acid, and adjusting the pH, if necessary or desired, by addition of alkali so that the effective pH of the composition is in the range 3.5 to 4.5.